


# Recommended COVID-19 vaccine doses<sup>1</sup>

For individuals without risk factors<sup>2</sup>



## Notes:

1. Monovalent Omicron XBB.1.5 vaccines are preferred; for ages in which a monovalent XBB.1.5-containing vaccine is not approved, [use a vaccine approved for that age group](#).
2. Includes those with a medical condition that increases the risk of severe COVID-19 illness (refer to [Australian Immunisation Handbook](#)) or those with disability with significant or complex health needs or multiple comorbidities which increase the risk of poor outcomes from COVID-19.
3. Consider a booster (or additional) dose based on an individual risk benefit assessment with an immunisation provider.

Information current as of 13 December 2023.

# Recommended COVID-19 vaccine doses<sup>1</sup>

For individuals with risk factors<sup>2</sup>



## Notes:

1. Monovalent Omicron XBB.1.5 vaccines are preferred; for ages in which a monovalent XBB.1.5-containing vaccine is not approved, [use a vaccine approved for that age group](#).
2. Includes those with a medical condition that increases the risk of severe COVID-19 illness (refer to [Australian Immunisation Handbook](#)) or those with disability with significant or complex health needs or multiple comorbidities which increase the risk of poor outcomes from COVID-19.
3. A third primary dose is recommended for all people aged 6 months or older with [severe immunocompromise](#) who are receiving a 2-dose primary course.
4. Consider a booster (or additional) dose based on an individual risk benefit assessment with an immunisation provider.
5. If severely immunocompromised only. Refer to [ATAGI recommendations on the use of a third primary dose of COVID-19 vaccine in individuals who are severely immunocompromised](#).