



POLAR Walkthrough – Nicotine Replacement Therapy and Smoking

Status

This walkthrough will demonstrate how to identify your active patients, 15 years old and over, that are currently prescribed Nicotine Replacement Therapy (active ingredient Nicotine, Varenicline, Bupropion) and review their smoking status.

Patient Cohort

All patients who:

- Have an 'Active' Patient Status in the clinical system
- Are 15 years old and over
- Are or have been on a form of Nicotine Replacement Therapy (active ingredient Nicotine, Varenicline, Bupropion)

POLAR Report

Clinic Summary



1. Active patient filter

1.1. Use the **Patient Filters**, and select *Active* from the **Patient Status** filter list. Remember to select the tick to confirm your selections.







2. Patients aged 15 and over

2.1. From the Patients menu, select the Patients menu item

POLAR Clinic Summary - Dashboard	Reports Dashboard Patients - Clinical -	MBS+ Practice+ Help+
51 E& E& Active 8	Patients Quality	
Patient Count	Risk Factors MHR	
4,843 ^{4,843}		
FILTERS Patient	4,843	4,843
Patient Status	PATIENTS	ACTIVE PATIENTS
RACGP Active		
Most Seen Clinician		
Patient Age		
Gender	412	22,774
Activity 🗸	RACGP ACTIVE PATIEN	TS ACTIVITIES
Provider 😽		
Diagnosis 👻	What's new	

2.2. In the **Age Group** visualisation, on the text for the first age group (15-19) <u>click and hold down the</u> <u>mouse button</u> while dragging the cursor down to highlight the remaining age groups. Finally, click the **Green tick.**







3. Currently on a form of Nicotine Replacement Therapy

3.1. First, under the Clinical menu, select the Prescriptions menu item



3.2. To select Nicotine Replacement Therapy prescriptions, click on the **Generic Medication** visualisation. Click on the title to enable a search. Click next to the magnifying glass and type in **Nicotine** and select it, then type in **Varenicline** and select, finally type in **Bupropion** and select the two options. Once all selections are highlighted click on the green tick to confirm your final selections.







4. Review patients smoking status

4.1. Under the **Patients** menu, select the **Risk Factors** menu item.



4.2. The **SMOKING STATUS** table shows the breakdown of **SMOKING STATUS** for patients on Nicotine Replacement Therapy. Click on *Not Specified* to look at just those patients without a status recorded.

Double click to view list Patient Count	SYSTOLIC BLOOD PRESSURE				SMOKING STATUS								BMI
$114_{\text{Active}}^{114}$	Over 160 1				Smoker							62	
FILTERS													
*	Between 140 and 180			20	Ex-Smoker							38	
/tus	Between 120 and 140			46	Non-Smoker		5						
Clinician	Between 90 and 120			27			-						
2	Not Specified	5 10	0 15	28	Not Specified		9	9 15	20	25	30	35	1
		5 10	- 15	40 1	r	~	. 1	- 15	20	20	50	<i></i>	

In summary, you now have all '*Active*' patients with an '*Active*' **Prescription** for Varenicline, Bupropion, or Nicotine based Nicotine Replacement Therapies with *NO* record of **Smoking Status** and over the age of 14.

5. Viewing the patient list

5.1. Double click the **Patient Count** to view the patients on Nicotine Replacement Therapy.





Active Age Band ⊗ 2Medication List ⊗ Smoking Status ⊗ Active 4of 1525 Not Specified										
Double click to view list Patient Count	SYSTOLIC BLOOD PRESSURE				BMI					
99 Active	Between 140 and 180		1							
Patient 🗸	Between 120 and 140		1							
Patient Status										
RACGP Active	Between 90 and 120		2							
Most Seen Clinician										
Patient Age	Not Specified		5	Not Specified					9	
Age Band										
Gender	0		1 2		0		4	6	8 1	Э

5.2. At the top of the patient list, click either "Export to Excel" or "Export to PDF" as required.

Export to Excel						
ID	Surname					
2	De Chiara					
4	SUKER					

We hope you find this POLAR walkthrough useful. If you have any queries, please feel free to contact the POLAR support team:

p. (03)8822 8444

e. support@outcomehealth.org.au